

---

***iluminar***

VISION SERIES CAMERAS

---

[www.iluminarinc.com](http://www.iluminarinc.com)

## Vision Series High Performance Integrated IR Cameras

**VC164** High performance integrated outdoor camera, 1/3" Sony Super HAD, super wide dynamic range (sWDR), 500TVL day/550TVL night, built in 6 x IR LED's (50m/164ft range), OSD, true day/night (IR cut filter), 7.5-50mm ED(Extraordinary Low Dispersion) glass Day&Night Auto DC Iris lens, Digital Zoom(1x~3x), RS-485 communication (Pelco D protocol), Concealed bracket with 2Axis, IP66 weatherproof housing with sunshield, 24VDC power supply included



**VZ164-10** As above but with 1/4" Sony Super HAD CCD and 10x auto focus zoom lens, f3.8~38mm(f1.8)



**VZ164-30** As above but with 1/4" Sony Super HAD CCD and 30x auto focus zoom lens, f3.3~99mm(f1.6)

**VC328** High performance integrated outdoor camera, 1/3" Sony Super HAD, super wide dynamic range (sWDR), 500TVL day/550TVL night, Powerful night vision using built in 34 x IR LED's (850nm) (100m/328ft range), OSD, true day/night (IR cut filter)), 7.5-50mm ED(Extraordinary Low Dispersion) glass Day&Night Auto DC Iris lens, Digital Zoom(1x~3x), RS-485 communication, Concealed bracket with 2Axis, IP66 weatherproof housing with sunshield, 24VDC power supply included



**VZ328-10** As above but with 1/4" Sony Super HAD CCD and 10x auto focus zoom lens, f3.8~38mm(f1.8)

**VZ328-30** As above but with 1/4" Sony Super HAD CCD and 30x auto focus zoom lens, f3.3~99mm(f1.6)



## Vision Series Bullet Cameras with IR

**VB66** Bullet camera, 1/3" day/night DSP Sony Super-HAD CCD, 500TVL day/560TVL night, built-in IR LED's (20m/66ft range), 4-9mm varifocal DC iris lens, 0.1 lux at F1.6, IP67 weatherproof housing with sunshield, c/w mount, external control of lens, 12Vdc



**VB115** Bullet camera with IR, 1/3" day/night DSP Sony Super HAD CCD, 540TVL, 4-9mm DC auto iris varifocal lens, built-in 56 IR LED's (35m/115ft range), OSD with DNR (digital noise reduction), IP66, external varifocal angle adjustment, 0 lux, 12Vdc/24VAC, sunshield, cable managed wall bracket



**VB262** Bullet camera with IR, 1/3" day/night DSP Sony Super HAD, 540TVL, 5-50mm DC auto iris varifocal lens, built-in 15 giant IR LED's (80m/262ft range), OSD with DNR (digital noise reduction), IP66, external varifocal angle adjustment, 0 lux, 12Vdc/24VAC, sun-shield, cable managed bracket



## Vision Series Vandal Resistance Dome Cameras

**VD66** High impact dome camera (surface/flush mount), 1/3" Sony Super HAD CCD, true day/night camera, 500TVL (day)/570TVL (night), 0.1 lux/F1.3 (0 lux with LED), 3.3-12mm DC iris lens, external zoom/focus adjustment, built-in 10 x IR LED's (approx. 20m/66ft range), 3-axis gimble via easy-to-adjust magnetic ball, 12Vdc/24VAC



**VD98** Vandal Resistant Dome, 1/3" Sony Super HAD II HQ1 CCD, true day/night camera, 500TVL (day)/560TVL (night), 0.1 lux/F1.3 (0 lux with LED's on), 4-9mm DC iris, built-in 21 x IR LED's (850nm) (approx. 30m/98ft range), 3-axis, fits single gang box, second video output, surge protection, IP66, 12Vdc/24VAC



---

Earn CEU credits on Iluminar products at [www.eliteceu.com](http://www.eliteceu.com)

3034 Blue Lagoon Ct • Missouri City, Tx 77459 U.S.A.  
Telephone +1.281.438.3500 • Fax +1.281.835.5777

---

[www.iluminarinc.com](http://www.iluminarinc.com)